

## LABORATORY HOT AIR OVEN




- Rugged, steel construction.
- Interior available with Mild Steel or Stainless Steel.
- Available with or without forced air circulation.
- Temperature range upto 250°C.
- Choice of thermostatic , digital On/Off or PID temperature control.
- Electrically operated on 230 VAC, Single Phase.

Model Code	Chamber Size (H x W x D)	Shelves	Rating
HLO - 30	30x30x30cm	1	700 W
HLO - 35	35x35x35cm	2	750 W
HLO - 45	45x45x45cm	2	1.2 kW
HLO - 54	60x45x45cm	3	1.7 kW
HLO - 60	60x60x60cm	3	2 kW
HLO - 65	90x60x45cm	3	2.5 kW
HLO - 90	90x60x60cm	3	2.5 kW

**HARIDAS INSTRUMENTS & EQUIPMENTS CO.**  
**(An ISO 9001:2008 Company)**

Sector-23, Plot No.76, CIDCO Service Industrial Area, Turbhe, Navi Mumbai-400 705, Maharashtra, India.  
 Tel : 91-022-27833046, 27835042 Fax : 91-022-27835042 email : kph@vsnl.com url: http:// www.haridasinstruments.com

## LABORATORY MUFFLE FURNACE



- Heavy-duty steel exterior construction.
- Interior of ceramic muffle.
- Thick ceramic blanket insulation provides excellent protection from heat loss.
- Temperature range upto 950°C.
- Choice of digital On/Off or PID temperature control.
- Electrically operated on 230 VAC, Single Phase.

Model Code	Muffle Size (H x W x D)	Rating
HMF - 4	10x10x23cm	1.6 kW
HMF - 5	13x13x25cm	2.6 kW
HMF - 6	15x15x30cm	3.3 kW

**HARIDAS INSTRUMENTS & EQUIPMENTS CO.**  
**(An ISO 9001:2008 Company)**

Sector-23, Plot No.76, CIDCO Service Industrial Area, Turbhe, Navi Mumbai-400 705, Maharashtra, India.  
 Tel : 91-022-27833046, 27835042 Fax : 91-022-27835042 email : kph@vsnl.com url : [http:// www.haridasinstruments.com](http://www.haridasinstruments.com)

## LABORATORY HOT PLATE

- Rugged, steel construction with solid cast iron plate on top.
- Heaters are designed and distributed for uniform surface temperature.
- With capillary thermostat for accurate temperature control.
- Electrically operated on 230 VAC, Single Phase.



### ROUND MODEL

Model Code	Size (dia)		Rating
HHPC - 8	20 cm.	8 inch	1 kW
HHPC - 12	30 cm.	12 inch	1.5 kW



### RECTANGULAR MODEL

Model Code	Size (L x B)		Rating
HHPC - 1012	25 x 30cm.	10 x 12 inch	1 kW
HHPC - 1218	30 x 45cm.	12 x 18 inch	1.5 kW

**HARIDAS INSTRUMENTS & EQUIPMENTS CO.**

**(An ISO 9001:2008 Company)**

Sector-23, Plot No.76, CIDCO Service Industrial Area, Turbhe, Navi Mumbai-400 705, Maharashtra, India.  
 Tel : 91-022-27833046, 27835042 Fax : 91-022-27835042 email : kph@vsnl.com url : [http:// www.haridasinstruments.com](http://www.haridasinstruments.com)

## LABORATORY HEATING MANTLE



- Rugged, steel exterior.
- Heating elements are flexible and elastic ensuring close contact with the flask surface minimizing breakage of glassware.
- Glasswool insulation ensures minimal heat loss.
- Uniform surface temperature upto 450°C.
- Electrically operated on 230 VAC, Single Phase.

Model Code	Flask Size	Rating
HHM-3	250ml	150 W
HHM-4	500ml	200 W
HHM-5	1 Lt.	300 W
HHM-6	2 Lt.	450 W
HHM-7	3 Lt.	450 W
HHM-8	5 Lt.	600 W

**HARIDAS INSTRUMENTS & EQUIPMENTS CO.**

**(An ISO 9001:2008 Company)**

Sector-23, Plot No.76, CIDCO Service Industrial Area, Turbhe, Navi Mumbai-400 705, Maharashtra, India.  
 Tel : 91-022-27833046, 27835042 Fax : 91-022-27835042 email : kph@vsnl.com url : [http:// www.haridasinstruments.com](http://www.haridasinstruments.com)

## LABORATORY WATER BATH

- Double walled with interior & lid of stainless steel.
- Glasswool insulation ensures minimal heat loss.
- Provided with concentric rings to accommodate various sizes of glass flasks.
- Choice of energy regulator or thermostatic temperature control.
- Electrically operated on 230 VAC, Single Phase.



### ROUND MODEL

Model Code	Flask Size	Rating
HWRF - 2	2 Lt.	1 kW
HWRF - 5	5 Lt.	1.5 kW



### RECTANGULAR MODEL (THERMOSTATIC)

Model Code	Size (L x B x H)	No. of Holes	Rating
HWB - 6	35 x 25 x 10cm	6	1 kW
HWB - 12	40 x 30 x 10cm	12	2 kW

**HARIDAS INSTRUMENTS & EQUIPMENTS CO.**  
**(An ISO 9001:2008 Company)**

Sector-23, Plot No.76, CIDCO Service Industrial Area, Turbhe, Navi Mumbai-400 705, Maharashtra, India.  
 Tel : 91-022-27833046, 27835042 Fax : 91-022-27835042 email : kph@vsnl.com url : [http:// www.haridasinstruments.com](http://www.haridasinstruments.com)